

LESONAL®

LESONAL BASECOAT WB GT



**FAST FINISH WITH
PERFECT COLOR AND
PREMIUM RESULTS**

GREAT FINISH. FAST.

SUPERB COLOR CONSISTENCY AND A FAST, HIGH QUALITY FINISH

Lesonal Basecoat WB GT provides premium color accuracy, increased efficiency and perfect end-results to bodyshops looking to improve every aspect of their performance.

Available in a wide variety of toners, including metallic, pearls, xirallics and solids, this one-

component system is specifically designed for refinishing passenger cars, but performs equally well on light commercial vehicles. Basecoat WB GT can be used conveniently on a wide variety of jobs, in most types of application, without changing the spraying technique.

EXCELLENT EFFICIENCY

Basecoat WB GT is fast and efficient. It benefits from short flash-off times and needs less material per job, optimizing both process efficiency and bodyshop profitability. It mixes easily without special additives or activator and has a simple application process that delivers a smooth, even finish.

EXCEPTIONAL COLOR ACCURACY

Combine Basecoat WB GT with AkzoNobel's state-of-the-art digital color platform, through advanced color tools like Automatchic™ and the MIXIT™ database of 2+ million colors, plus additional specialty pigments in SEC toners, for the ultimate in color precision. It empowers bodyshops to deliver a great color match every time, across the full market color range.

PERFECT END RESULTS

Basecoat WB GT is supremely easy to use, with minimal training required. It delivers a guaranteed smooth and cloudiness-free appearance before clearcoat application, while its wide application window and good flow ensure premium end-results across all types of repairs.

EFFICIENT

Fast flash-off times and lower consumption

ACCURATE

Superb color accuracy

PERFECT

Smooth, consistent and cloudiness-free

FEATURES	BENEFITS
Short flash-off time between basecoat and clearcoat	Shorter process times per job Higher throughput Increased profitability Lower energy consumption and cost per job
Wide application window	Minimal training required High flexibility in application Full control with regard to color accuracy and appearance Saves on labor costs and boosts painter performance
Smooth flow and uniform appearance prior to clearcoat application	Even flash-off Confidence in a perfect result before clearcoat application Full control of the end result Minimized risk of costly reworks
Blending without any special additives	Keeps blending simple Fast and invisible Speeds up process times Reduced inventory costs
Fast drying and dries hard	Meet tight turnaround times with faster speeds and increased process efficiency Less material consumption
Easy dosing	Less mixing errors Saves time when mixing small amounts Higher color accuracy
Three month potlife, without additives	Material cost savings Reduced waste
Great color accuracy	Customer satisfaction and retention New business potential




QUICK REFERENCE GUIDE

LESONAL BASECOAT WB GT



Gently shake each Basecoat WB GT toner prior to use

Mixing Ratio



Ready For Use (RFU)
Basecoat WB GT

Mixing stick



At high temperatures / low humidity:

In case of high temperatures / low humidity, Lesonal Activator WB can be added up to a maximum of 20%

Equipment



Spray gun set-up:
1.3-1.4 mm

Application pressure:

1.7-2.2 bar at the air inlet
HVLP max 0.6-0.7 bar at the air cap

Application




Solids colours:
2 x 1 coat

Metallic and pearl colours:

2 x 1 coat + effect coat

Flash-off



Between coats:
Until completely matt

Before clearcoat:

Until completely matt

Recoatibility



All Lesonal clearcoats

Protection



Use suitable respiratory protection
Akzo Nobel Car Refinishes recommends the use of fresh air supply respirator

For fast finish and superb color accuracy, visit www.lesonal.uk